

Appl. No. 10/584,186  
Amdt. dated January 11, 2010  
Reply to Final Office action of September 9, 2009

### REMARKS

Claims 10-13, 15, 16, and 18-25 are presently in the application. Claims 14 and 17 have been canceled. The above amendments are being made to place the application in condition for allowance.

Claims 19-25 were rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 19 lacks antecedent basis for the limitation “the surface” in line 14.

Claim 22 recites the limitation “a surface of the friction brake lining” in line 3. The examiner finds it unclear if this “surface” is different or the same as the “surface” recited in claim 19, line 14.

Claim 22 recites the limitation “inside the surface of the” in line 4. The examiner finds it indefinite if this refers to inside the surface of the friction brake lining.

Applicant believes these issues have been corrected in the above amendment.

Reconsideration of the rejection of claims 19-25 under 35 U.S.C. 102(b) as being anticipated by US Patent No. 6,318,513 to Dietrich et al, is respectfully requested.

Claim 19 has been amended to depend from allowable claim 10, which is directed to a self-boosting electromechanical friction brake, comprising a friction brake lining which is movable in a direction of rotation and into contact with a brake body,

an electromechanical actuation device with which the friction brake lining can be pressed for braking against the brake body,

a ramp mechanism which braces the friction brake lining at a ramp angle to the brake body, the ramp mechanism having a roller bearing that has roller bodies, with which roller bearing the friction brake lining is movably supported at a wedge angle to the brake body, and roller support means supporting the roller bodies fixedly and rotatably on a component of the friction brake.

Allowable claim 10 recites additionally: *wherein axes of rotation of the roller bodies have a transverse inclination, so that the roller bodies brace the friction brake lining centrally to an imaginary circular circumferential line with its center on an axis of rotation of the brake body which divides a surface, oriented toward the brake body, of the friction brake lining into two faces of at least approximately equal size.*

Amended claim 19 recites additionally: *wherein the roller bodies are offset in a displacement direction of the friction brake lining such that the roller bodies brace the friction brake lining centrally to an imaginary center line, which extends transversely to the displacement direction of the friction brake lining and divides the surface, oriented toward the brake body, of the friction brake lining into two faces of at least approximately equal size.* (Subject matter of previous claim 19)

Dietrich et al is relied upon for disclosing a movable friction element 16, brake disk body 12, an electromechanical actuation device 32, 34, 36, wedges 18 on the ring 14 (brake lining holder), bolts 30 (roller bodies) on bolt carrier 26 (stationary abutment plate). The friction brake has the carrier ring 14 disposed coaxially to the brake disk 12 and has friction linings 15 on its side toward the brake disk 12. On its side facing away from the brake disk 12, the carrier ring 14 is equipped with wedges 18, whose ramps rise respectively in and

counter to the direction of the rotation of the brake disk. Roller bodies 30 are braced on the ramps 18 and in turn are supported rotatably in an annular bolt carrier disposed in stationary fashion. By the resultant rolling motion of the roller bodies on the ramps of the carrier ring, this carrier ring is moved in the direction of the brake disk, and thus the friction brake linings are pressed against the brake disk. The ensuing reaction acts back on the carrier ring and is converted by the ramps and the roller bodies into a supplementary force that reinforces the contact pressure (self-boosting effect).

In the known friction brake, precisely one roller body is associated with each ramp of a wedge, and the longitudinal axis of the roller body extends transversely to the direction of displacement of the carrier plate. Such an arrangement cannot prevent sliding of the roller bodies on the ramp instead of rolling on them as intended, and thus cannot prevent a translational motion ("creeping") of the carrier plate relative to the brake disk. As a result, in this prior art mutually centering of the carrier plate and brake disk is not assured under all circumstances, as compared to the present invention.

According to the invention, the subject of amended claim 19 is distinct over Dietrich et al. In particular, this distinction over the prior art of centering is achieved by the transverse inclination of the axes of rotation of the roller bodies which causes the roller bodies to brace the friction brake lining centrally to an imaginary circular circumferential line with its center on an axis of rotation of the brake body which divides a surface of the friction brake lining into two faces of at least approximately equal size.

This is also achieved by the roller bodies being offset in a displacement direction of the friction brake lining such that the roller bodies brace the friction brake lining centrally to

Appl. No. 10/584,186  
Amdt. dated January 11, 2010  
Reply to Final Office action of September 9, 2009

an imaginary center line, which extends transversely to the displacement direction of the friction brake lining and divides the surface of the friction brake lining into two faces of at least approximately equal size, as recited in claim 19.


Dietrich et al lacks any such combined arrangement of the roller bodies.

Accordingly, Dietrich et al et al does not anticipate the present invention under 35 U.S.C. 102 (b) and withdrawal of the rejection is respectfully requested.

Accordingly, as the dependent claims recite additional limitations, withdrawal of the rejection is respectfully requested.

Entry of the amendment is respectfully solicited.

Respectfully submitted,



Ronald E. Greigg  
Registration No. 31,517  
Attorney of Record  
CUSTOMER NO. 02119

GREIGG & GREIGG P.L.L.C.  
1423 Powhatan Street  
Suite One  
Alexandria, VA 22314

Telephone: (703) 838-5500  
Facsimile: (703) 838-5554

REG/JAK/ncr

J:\Bosch\R307476\Reply to 9-09-09 Final OA.doc